

PERSEUS 30






Product properties

Widths (m)	4.00/5.00	Backing	FusionBac
Texture	Frisé	Pile composition	Solution Dyed Polyolefin (SDO)
Aspect	Plain color/speckled	Pattern repeating every L*W (cm)	
Domestic Use	medium/intensive: Bedroom, Guest room, Living, Dining, Hobby, Office, Stairs(*)	Commercial Use	-
(*) if stairs symbol is present			
Pile height (mm)	11.5	Total thickness (mm)	14.0
Pile weight (g/m2)	1690	Total weight (g/m2)	2400
Prodis certificate	PSEUTA_PRODIS.PDF	CE certificate	PSEUTA_CE.PDF
Gauge (inch)	1/8	Tufts (per m2)	141750
Accoustical impact noise (dB)	35	Thermal resistance (m2C°/W)	0.140
Standard roll length (m)	22	Sample dimensions (W x10X30 H cm)	
Fire class remark	N/A	Fire class certification report	
Fire Classification	Efl	DIBT Approval nr	
Cut service	Yes	Contract collection	No
UPEC classification report		Rolled up	Pile Inwards
Backing type			
Yarn type			
DOP	1008#SL0001		



Available colors

			
PERSEUS 35	PERSEUS 36	PERSEUS 38	PERSEUS 40
			
PERSEUS 30	PERSEUS 33	PERSEUS 34	PERSEUS 42
			
PERSEUS 92	PERSEUS 39	PERSEUS 37	PERSEUS 45
			
PERSEUS 94	PERSEUS 95	PERSEUS 97	PERSEUS 99