

MAXIMA 12












Product properties

Widths (m)	4.00/5.00	Backing	Flextex Plus Actionbac
Texture	Loop pile	Pile composition	Solution Dyed Nylon (SDN)
Aspect	Structured/dessin/kids	Pattern repeating every L*W (cm)	
Domestic Use	-	Commercial Use	Intensive : Hotel room, Hotel suite, Boutique, Shop, Restaurant, Conference room, High traffic office, Reception, Stairs
(*) if stairs symbol is present			
Pile height (mm)	4.0	Total thickness (mm)	6.0
Pile weight (g/m2)	520	Total weight (g/m2)	1630
Prodis certificate	MXMATA_PRODIS.PDF	CE certificate	MXMATA_CE.PDF
Gauge (inch)	1/10	Tufts (per m2)	193500
Accoustical impact noise (dB)	25	Thermal resistance (m2C°/W)	0.080
Standard roll length (m)	30	Sample dimensions (W x20X30 H cm)	
Fire class remark	Glued on a non combustible substrate	Fire class certification report	16/1084
Fire Classification	Cfl-s1	DIBT Approval nr	
Cut service	Yes	Contract collection	Yes
UPEC classification report		Rolled up	Pile Outwards
Backing type			
Yarn type			
DOP	1008#CG0011		



Available colors

				
MAXIMA 12	MAXIMA 33	MAXIMA 37	MAXIMA 90	MAXIMA 45
				
MAXIMA 78	MAXIMA 97	MAXIMA 40	MAXIMA 99	MAXIMA 98