

HARLEM 11



Product properties

Widths (m)	4.00/5.00	Backing	FusionBac
Texture	Frisé	Pile composition	100% Polyamide (Nylon)
Aspect	Plain color/speckled	Pattern repeating every L*W (cm)	
Domestic Use (*) if stairs symbol is present	Intensive : Bedroom, Guest room, Living, Dining, Hobby, Office, Study, Stairs(*), Entrance , Hallway	Commercial Use	light : Hotelroom, Hotel suite
Pile height (mm)	12.0	Total thickness (mm)	14.5
Pile weight (g/m2)	750	Total weight (g/m2)	1610
Prodis certificate	HLEMTA_PRODIS.PDF	CE certificate	HLEMTA_CE.PDF
Gauge (inch)	1/8	Tufts (per m2)	72450
Accoustical impact noise (dB)	27	Thermal resistance (m2C°/W)	0.110
Standard roll length (m)	30	Sample dimensions (W x10X30 H cm)	
Fire class remark	Glued on a non combustibile substrate	Fire class certification report	16_1085
Fire Classification	Cfl-s1	DIBT Approval nr	
Cut service	Yes	Contract collection	Yes
UPEC classification report		Rolled up	Pile Inwards
Backing type			
Yarn type			
DOP	1008#BL0001		



Available colors

