

Acoustic 7

Performance, Features & Benefits


Excellent acoustic properties (≥ 19 dB), Excellent foot comfort, Dimensionally stable, Increased lifespan, Antistatic, Anti-bacterial, 10 year warranty

RECOMMENDED USAGE


Healthcare
Education
Hospitality
Corporate
Retail
Anywhere acoustical property is needed

Technical parameters		Standards
DESCRIPTION		
Construction		heterogeneous
Total thickness	EN 428	3,2 mm
Wear layer thickness	EN 429	0,7 mm
Width of roll	EN 426	2 m
Length of roll	EN 426	20 lm
Total weight	EN 430	2,6 kg/m ²
CLASSIFICATION		
European classification	EN 685	class: 34/42
Classement UPEC	NF EN 651	class: U4P3E2/3C2
PERFORMANCE		
Abrasion group	EN 660-1	T
Residual indentation	EN 433	max. 0,2 mm
Dimensional stability	EN 434	max. 0,2 %
Fire resistance	EN 13501-1	class: Bfl-s1
	BS 476	class: Class1
	Gost 30402-94	class: G1
Impact sound reduction	EN ISO 717-2	$\Delta L_w = 19$ dB
Slip resistance	DIN 51130	R9
	AS/NZS 4586	R10
Electrical resistance	EN 1815	< 2 kV
	EN 1081	$\leq 10^9 \Omega$
Chemical resistance	EN 423	✓
Bacterial resistance	EN ISO846:1999	✓
Light fastness	EN 20105 B02	6
Castor chair resistance	EN 425	✓
Surface treatment	CLP	
Anti bacterial and fungicid treatment	graboSAN	
Seaming methot	hot or cold welding	
Warranty	10 year	

- 1 CLP Wear layer
- 2 Design
- 3 Compact layer
- 4 Glass fibre reinforcement
- 5 Foam backing




Acoustic 7 Mineral



383-668-275




383-679-275



383-667-275



383-674-275




383-661-275



383-659-275



383-657-275



383-676-275



383-678-275



383-677-275



383-672-275



383-671-275



383-669-275



383-651-275



383-653-275



383-664-275



383-665-275



383-675-275


Acoustic 7 Uni



1008-275



2089-275




2028-275




3070-275




7410-275



3380-275



3319-275



4220-275



6180-275



6110-275



6150-275




1290-275



1343-275



9170-275



1991-275


Acoustic 7 Spicy



376-651-275



376-652-275




376-654-275



376-655-275



376-657-275



376-658-275



376-670-275



376-671-275



376-672-275



376-673-275



376-674-275



376-675-275

Acoustic 7 Ricepaper




379-654-273



379-651-273




379-656-273



379-664-273



379-665-273



379-658-273



379-659-273



379-657-273



379-668-273

Acoustic 7 Urban



375-657-273



375-668-273



375-664-273



375-655-273



375-656-273

